








di particolari tolleranze


DR H = da O a +


> 120	> 180	> 250
a 180	a 250	a 315
0.180	0.165	0.210
0.250	0.280	0.320
0.400	0.440	0.520
0.630	0.720	0.810




DATA	MODIFICA	FIRMA	Dimensioni e scostamenti per le quote libere									
			Quota	da 1	da 2	da 3	da 4	da 5	da 6	da 7	da 8	da 9
			IT 10	0,040	0,048	0,056	0,064	0,070	0,076	0,080	0,084	0,088
			IT 11	0,060	0,075	0,090	0,110	0,130	0,150	0,180	0,210	0,250
			IT 12	0,080	0,120	0,160	0,210	0,260	0,300	0,350	0,400	0,450
			IT 13	0,140	0,180	0,220	0,270	0,330	0,390	0,460	0,540	0,610

ZACCARIA			COD. 1-B 1304		attrezzo
			TRATTAMENTO	PROT. SUP.	scarto
					peso netto
DIS.	DATA	SCALA	MATERIALE		quant.
DS. NOM. SCHEMA ELETTRICO Scheda Driver Display					GRUPPO FLIPPER







cod. 1B1311	SCHEMA ELETTRICO SCHEDA INTERFACCIA 1B1111/0
-------------	---

