


COLLECT
BONUS SCORE


FLIPPED



4

5

6







VOLTAGE	110~130V	200-240V		100V		CIRCLE IN THE SWITCH SYMBOLS INDICATES OPERATION BY A MOTOR
STAND-BY		W	W	ZIO	W	
MAXIMUM		W	W			
POWERS			POWER CONSUMPTION			
			K	KING WIRE (80 wt.)		N/A AND BREAK SWITCH
			L	LARGE WIRE		
			J	JUMPER WIRE		NORMALLY CLOSED SWITCH OPEN WHEN ENERGIZED
			E	LIGHT GREEN		
			D	PURPLE		NORMALLY OPEN SWITCH CLOSED WHEN ENERGIZED
			C	BROWN		
			B	SKY BLUE		
			A	PINK		
			9	GRAY		
			8	BLACK		
ALTERATION			7	ORANGE		SWITCH SYMBOLS
			6	MAROON		APR.
			5	WHITE		ASSY.
			4	GREEN		CKD
SOL.	SOLENOID		3	YELLOW		DRW.
SW.	SWITCH		2	BLUE		
RE.	RELAY		1	RED		
ABBREVIATIONS USED			WIRE COLOR CODE			
			(100 - 240V)			TWC CHART NO.
			(50 - 60Hz)			249
						SCHEMATIC DIAGRAM NO.