

1. FOR SCHEMATIC, REFER TO DRAWING NO. 16-8925.


- BY PT. #5641-09312-00. (ITEM #79).

ITEM	PART NO.	PART DESIGNATION	DESCRIPTION	QTY.
36			HERDER, 9H STR.	
35	5791-10062-09	J4, J9	50, P.I.N., 156	2
34	5791-10062-04	J7, J8	HERDER, 4H STR.	2
33	5791-10050-00	J6	26-PIN HERDER, STRAIGHT UNSHROUDED RIBBON CABLE	1
32	5791-10062-15	J5	HERDER, 15H STR.	1
31	5791-10062-06	J2, J5	HERDER, 6H STR.	2
30	5791-10062-12	J1	50, P.I.N., 156	1
29	20-9229	SEE NOTE #4	THERMAL COMPOUND	010 OZ.
28	4703-00007-00		06 EXT. LOCKWASHER	1
27	4406-0011177-00		6-32 HEX NUT	1
26	4006-0510053-06		6-32 X 3/8 P-PH-S	1
25	5705-00199-00		HEATSINK THERMALLY #6030	1
24	5709-000995-00		40-PIN I.C. SOCKET	1
23	5709-10176-00		20-PIN I.C. SOCKET	1
22	5709-10610-00		SW/S DPDT 12V	1
21	5641-000633-00	SEE NOTE #5	PUSH BUTTON SWITCH, SPST MOMENTARY	1
20	5641-000633-00	SW4	PUSH BUTTON SWITCH, DPDT MOMENTARY	1
19	5641-000633-00	SW1, SW2	UIP, 8-POS., 16-PIN, SWITCH	2
18	5551-00082-00	L1, L2, L3	COIL, RHDRAL, 4.7 μ H, 3 R.	3
17	5043-000956-00	C30, C32	CAPACITOR, AXIAL, .1 MF, .50V +/-20%	2
16	5040-000776-00	C29	CRP., ELECT., RHDRAL, 470 MF, .16V +/-50-10%	1
15	5040-000421-00	C25, C27, C33	CRP., ELECT., RHDRAL, 100 MF, .25V +/-50-10%	3
14	5041-0003031-00	C22	CRP., TRNT., RHDRAL, .1 MF, .25V +/-20%	1
13	5043-000930-00	C21, 32 *B*	CAPACITOR, RHDRAL, .01 MF, .50V +/-80-20%	33
12	5043-000503-00	C20	CAPACITOR, RHDRAL, .047 MF, .50V +/-20	1
11	5045-000726-00	C15 THRU C18	CRP., POLYCARBONATE, RID., 1 MF, .100V +/-10%	4
10	5040-000545-00	C14	CRP., ELECT., RHDRAL, 22 MF, .10V +/-50-10%	1
9	5043-0005945-00	C13, C15, C24, C25, C26, C28, C31	CAPACITOR, RHDRAL, 1K PFD, .50V +/-20%	7
8	5043-000503-00	C1 THRU C11	CAPACITOR, RHDRAL, 470 PFD, .50V +/-20%	11
64				
63	5671-00019-00		LED1	1
62	5019-10030-00	DR3, DR4	UIP, 9R 16-PIN, 1.00 OHM, 125 W/R 5%	2
61	5019-10030-00	DR2	UIP, 9R 16-PIN, 270 OHM, 125 W/R 5%	1
60	5019-10050-00	DR1	UIP, 9R 16-PIN, 270 OHM, 125 W/R 5%	1
59	5019-10143-00	SR7, SR8	SIP, 9R 16-PIN, 2.2K OHM, 125 W/R 5%	2
58	5019-09362-00	SR4	SIP, 9R 16-PIN, 2.2K OHM, 125 W/R 5%	1
57	5019-09362-00	SR3, SR6	SIP, 9R 16-PIN, 4.7K OHM, 125 W/R 5%	2
56	5019-09362-00	SR2, SR5	SIP, 5R 6-PIN, 4.7K OHM, 125 W/R 5%	2
55	5019-09362-00	SR1	SIP, 9R 10-PIN, 560 OHM, 125 W/R 5%	1
54	20-9491	WTHRU W4	WIRE JUMPER, BUS WIRE 22 GAUGE	4"
53	5010-10059-00	R86	RESISTOR, C.F.F., 560 OHM 5% 1/2 WATT	1
52	5010-10059-00	R50 THRU R65	RESISTOR, C.F.F., 10 OHM 5% 1/4 WATT	8
51	5010-09363-00	R57	RESISTOR, C.F.F., 5.6K OHM 5% 1/4 WATT	1
50	5010-09363-00	R54	RESISTOR, C.F.F., 2.2 OHM 5% 1/4 WATT	1
49	5010-09363-00	R53	RESISTOR, C.F.F., 220 OHM 5% 1/2 WATT	1
48	5010-09363-00	R52	RESISTOR, C.F.F., 1 OHM 5% 1/2 WATT	1
47	5010-09363-00	R42, R45, R46, R51	RESISTOR, C.F.F., 68 OHM 5% 1/2 WATT	4
46	5010-09363-00	R41, R44, R47, R50	RESISTOR, C.F.F., 560 OHM 5% 1/4 WATT	4
45	5010-09363-00	R40, R43	RESISTOR, C.F.F., 2.7K OHM 5% 1/4 WATT	4
44	5010-09363-00	R39	RESISTOR, C.F.F., 33K OHM 5% 1/4 WATT	1
43	5010-09363-00	R37	RESISTOR, C.F.F., 3.3K OHM 5% 1/4 WATT	1
42	5010-09363-00	R36	RESISTOR, C.F.F., 270 OHM 5% 1/4 WATT	1
41	5010-09363-00			
40				
39				
38	5010-10051-00	R19, R25, R27, R31	RESISTOR, C.F.F., 1.2K OHM 5% 1/2 WATT	4
37	5012-09037-00	R18, R22, R26, R30	RESISTOR, WIREWOUND, .4 OHM 5% 3 WATT	4
36	5010-09086-00	R16, R20, R24, R28, R38	RESISTOR, C.F.F., 6.8K OHM 5% 1/4 WATT	5
35	5012-10060-00	R8 THRU R15	RESISTOR, C.F.F., 27 OHM 5% 5 WATT	8
34	5010-09350-00	SEE NOTE #2	RESISTOR, C.F.F., 1.8K OHM 5% 1/4 WATT	10
33	5010-09350-00	R1 THRU R4	RESISTOR, C.F.F., 2K OHM 5% 1/4 WATT	4

BILL OF MATERIALS

PRODU FROM BEERK LIGHTBEEB R CAP 5/19/85 CRYGLED B/D DATE 1/2/85 ORIGINAL DATE 1/2/85 FIRST USAGE D-185.58 QTY 1	DO NOT SCALE WORK TO DIMENSIONS SHOWN	REMOVE BURNS - BREAK SHARP EDGES FRACTIONAL _____ UNLESS OTHER SPECIFIED 1/16" ANGLE 1.005 FILETS 020 MAX MATERIAL NONE
--	--	--

REV	DESCRIPTION OF CHANGE	EXTD DATE
1	NEW PART RELEASE	17 SEP 82



NOTES:

1. FOR SCHEMATIC, REFER TO DRAWING NO. 16-8925.
2. USE THERMAL COMPOUND BETWEEN ITEM #21 (U32) AND ITEM #84.

ITEM	PART NUMBER	DESCRIPTION	QTY	ITEM
1	16-8925	REMOVE BURRS - BREAK SHARP	1	
2	16-8925	DO NOT SCALE WORK TO DIMENSIONS SHOWN	1	
3	16-8925	TOLERANCES UNLESS OTHERWISE SPECIFIED	1	
4	16-8925	FRACTIONAL 1/16" ANGULAR	1	
5	16-8925	DECIMAL 1.000 TOLERANCES	1	
6	16-8925	MATERIAL	1	
7	16-8925	APPROVAL DATE	1	
8	16-8925	FIRST USAGE	1	
9	16-8925	QTY	1	
10	16-8925	10-10536	1	
11	16-8925	NONE	1	

