




FRONT DOOR JACK

JACK PIN NO.	FROM
1	A4J3-9
2	A4J3-10
3	A4J3-11
4	A4J3-12
5	A4J3-13
6	A4J3-14
7	A4J3-15
8	A4J3-16
10	A4J3-2
11	A4J3-3
15	A2J2-2
16	A3J2-8
17	A2J2-1
18	A2J2-5
19	A4J3-1
20	A3J2-7

N/U = NOT USED
ALL DIODES ARE IN-4004

ISSUE	CHANGE	DATE

SCALE:


PART MUST BE FREE OF BURRS

Unless otherwise specified, all fractional dimensions carry tolerances of plus and minus .010: All decimal dimensions plus and minus .005. Exceptions: Drilled holes plus .003 minus .001. Die casting fractional plus and minus .005: Decimal plus and minus .003. Decimal dimensions on tools plus and minus .001. Angles $\pm 30^\circ$ unless otherwise specified.

STERN ELECTRONICS INC.		
1725 DIVERSEY BLVD. CHICAGO 60614		
CABINET AND FRONT DOOR WIRING		
FOR GENERAL		
DRN. J.T.	DATE	AM'T
MAT	FIN.	APPR.


ISSUE	CHANGE	DATE

NO. 12D-521-S



STERN ELECTRONICS INC.
 1725 DIVERSEY BLVD. CHICAGO 60614
 ELECTRONIC SOUND SCHEMATIC
 FOR SB-100
 DATE 7-18-78 AMT

DISPLAY DIGIT ENABLE



*
PIN 15 WIRE COLOR
1ST. PLAYER B-W
2ND PLAYER O-BLU
3RD. PLAYER R-Y
4TH. PLAYER BR-O
MATCH/BALL R-B


ISSUE	UPDATED	CHANGE
		DATE

SCALE: *4-7*

PART MUST BE FREE OF BURRS

Unless otherwise specified, all fractional dimensions carry tolerances of plus and minus .010; All decimal dimensions plus and minus .005. Exceptions: Drilled holes plus .003 minus .001. Die casting fractional plus and minus .005; Decimal plus and minus .003. Decimal dimensions on tools plus and minus .001. Angles $\pm 30'$ unless otherwise specified.

STERN ELECTRONICS INC.		
1725 DIVERSEY BLVD. CHICAGO 60614		
DISPLAY BOARD SCHEMATIC		
SOLID STATE		
FOR		
DRN. J.J.	9-20-77	AM'T <i>45</i>
<i>65</i>	<i>45</i>	1977



ABBREVIATIONS USED
 GEN ILL. = GENERAL ILLUMINATION
 RET. = RETURN
 GND = GROUND
 REG = REGULATED
 Z.C. = ZERO CROSSING


POWER LINE CONNECTIONS		
AC LINE VOLTAGE	STRAP TERMINALS	APPLY POWER TO TERMINALS
115	1 TO 3 AND 9 TO 11	1 AND 9
120	1 TO 3 AND 5 TO 7	1 AND 5
220	3 TO 5	1 AND 12
240	3 TO 5	1 AND 7

ISSUE A	UP-DATED	CHANGE	DATE 1-78
------------	----------	--------	--------------


SCALE: 2X
 PART MUST BE FREE OF BURRS
 Unless otherwise specified, all fractional dimensions carry tolerances of plus and minus .010: All decimal dimensions plus and minus .005. Exceptions: Drilled holes plus .003 minus .001. Die casting fractional plus and minus .005: Decimal plus and minus .003. Decimal dimensions on tools plus and minus .001. Angles $\pm 30^\circ$ unless otherwise specified.

STERN ELECTRONICS INC. 1725 DIVERSEY BLVD. CHICAGO 60614		
POWER TRANSFORMER MODULE SCHEMATIC		
DRN. J. J.	DATE 9-20-77	AMT.
MAT.	FIN.	APPR.


A1 INSERT



A2 TRANSFORMER



MPU - A4



ABBREVIATIONS USED

CB = COLLECT BONUS
C.T.S. = CENTER TARGET SPECIAL
G.O. = GAME OVER
L.R.S. = LEFT RETURN SPECIAL
P. = PLAYER
P.U. = PLAYER UP
S.A. = SHOOT AGAIN

SEE INDIVIDUAL SCHEMATIC DRAWINGS FOR WIRE COLORS.

